



DOOR FITTING

FOR COMMERCIAL USE

SARO GLOBAL®



SARO®

PANIC EXIT DEVICE

ONE-POINT PUSH TYPE, RIM VERSION



OUTSIDE HANDLE

OTI 011302006



ETI 011301011



Specification :

- Certificate of quality : CE
- EN 1125 : 2008 certified
- Reversible (L and R hand)
- Body Color : Black & Red painted

Fire Rated 

SARO®

SARO GLOBAL®

PANIC EXIT DEVICE

MODULAR PUSH TYPE, RIM VERSION



OUTSIDE HANDLE

OTI 011302006



ET3 011303007



Specification :

- Certificate of quality : CE
- EN 1125 : 2008 certified
- Reversible (L and R hand)
- Body Color : Black & Red painted

Fire Rated 

SARO GLOBAL®

SARO®

PANIC EXIT DEVICE

ONE-POINT BAR TYPE, RIM VERSION



OUTSIDE HANDLE

OTI 011302006



EBI 011301012



Specification :

- Certificate of quality : CE
- EN 1125 : 2008 certified
- Reversible (L and R hand)
- Body Color : Black & Red painted

Fire Rated 

SARO®

SARO GLOBAL®

PANIC EXIT DEVICE

MODULAR BAR TYPE, RIM VERSION



OUTSIDE HANDLE

OTI 011302006



EB3 011303008



Specification :

- Certificate of quality : CE
- EN 1125 : 2008 certified
- Reversible (L and R hand)
- Body Color : Black & Red painted

Fire Rated 

SARO®

SARO GLOBAL®

PANIC EXIT DEVICE

ONE-POINT PUSH TYPE, RIM VERSION

Exi-Touch I-point



MADE IN TAIWAN



Specification :

- UL Tested
- ANSI Certified, Grade I
- Reversible (L and R hand)
- Body Color : Black & Red, Silver, Stainless Steel



Fire Rated



Name	Type	Material	Finish	Item NO
Exi-touch I	Fire Rated	Stainless Steel	Satin StainlessSteel	011301009
		Steel	Black & Red	011303005
Exi-touch 2	Panic Rated	Steel	Black & Red	011301003
		Steel	Silver	011301008

PANIC EXIT DEVICE

TWO-POINT PUSH TYPE, RIM VERSION

Exi-Touch 2-point



MADE IN TAIWAN



Specification :

- UL Tested
- ANSI Certified, Grade I
- Reversible (L and R hand)
- Body Color : Black & Red, Silver, Stainless Steel



Fire Rated



Name	Type	Material	Finish	Item NO
Exi-touch 12	Fire Rated	Steel	Black & Red	011303006
Exi-touch 22	Panic Rated	Steel	Black & Red	011301004

ELECTRIC STRIKE FOR PANIC EXIT DEVICES

ESP01 010221006

Mechanical features :

- Reversible
- Front Plate : Anodized Aluminum
- Deadlocking tab for latch with 3 mm side regulation.

Electric features :

- 12 V AC & DC
- Fail Secure

STRIKE FOR PANIC EXIT DEVICES – FLAT & REBATED DOORS

Strike 010221001

ACCESSORIES FOR PANIC EXIT DEVICES

Exi-Touch Accessories

Type	Name	Item NO.
Top Rod (For 2-point rim type)	Top Rod 210	012028001
Fire Rated Strike Full Pack	-	011526001
Panic Rated Strike Full Pack	-	011525001
Thick Door Kit (+10 mm)	Extension Kit 1	010114005
Thick Door Kit (+35 mm)	Extension Kit 3	010114006
Thick Door Kit (+55 mm)	Extension Kit 4	010114007

DOOR COORDINATOR FOR REBATED DOORS



DC-01 011301007



Specification :

- For rebated doors
- Material : Stainless Steel
- Reversible (L and R hand)
- Prevent the active door from closing until the inactive door is closed.



OUTSIDE HANDLE FOR PANIC EXIT DEVICES



Exout I/BR 011302004

Black painted



Exout I/S 011302003

Silver painted



Exout I/SS 011301006

Satin Chrome Plated

MADE IN **TAIWAN**



Specification :

- Reversible (L and R hand)
- Body Color : Black, Silver, Satin Chrome



Exi-Touch suitable handles

DOOR CLOSER

FIRE RESISTANT


DCO501/S 010701011 Silver

DCO502/B 010701012 Black




Specification :

- Adjustable Size : EN2~EN6
- Door Weight : **40~120** kg
- Certificate of quality : CE
- **EN 1154 , EN 1634** Certified
- Maximum Door Width : 950 mm
- Standard & Parallel Arm
- Fire Rated
- Finish : **Silver , Black**



+ Parallel Arm



SARO®

SARO GLOBAL®

DOOR CLOSER

COMMERCIAL

DCT25H/S 010701006

Silver / with hold-open arm

DCT25H/B 010701007

Black / with hold-open arm

DCT25P/S 010701008

Silver / with standard & parallel arm


DCT25P/B 010701009

Black / with standard & parallel arm




Specification :

- Adjustable Size : EN2~EN5
- Door Weight : **40~100** kg
- Certificate of quality : CE
- **EN 1154 , EN 1634** Certified
- Maximum Door Width : 1250 mm
- Standard and Parallel Arm / Hold Open Arm
- Fire Rated * (Standard & Parallel Arm Only)
- Finish : **Silver , Black**



+ Parallel Arm




SARO GLOBAL®

SARO®

DOOR CLOSER COMMERCIAL


DCT25P/G 010701014 Gold

DCT25P/SS 010701016 Stainless Steel




Specification :

- Adjustable Size : EN2~EN5
- Door Weight : **40~100** kg
- Certificate of quality : CE
- **EN 1154 , EN 1634** Certified
- Maximum Door Width : 1250 mm
- Standard and Parallel Arm
- Fire Rated
- Finish : **Gold, Stainless Steel**



+ Parallel Arm



Lombardi®

SARO GLOBAL®

DOOR CLOSER RESIDENTIAL

DCO40I 010701010




Specification :

- Size : EN3 (Door Weight : **60** kg)
- Certificate of quality : CE
- **EN 1154 , EN 1634** Certified
- Maximum Door Width : 950 mm
- Linear Arm + Fit Arm Mechanism
- Fire Rated
- Finish : **Silver** painted



Note:

Hold-open part shall be removed on fire doors.




SARO GLOBAL®

SARO®

DOOR CLOSER RESIDENTIAL

DCO601/S 010701013 Silver




Specification :

- Size : EN2, EN3, EN4 (Door Weight : 40~80 kg)
- **UL 228 , UL 10C** Certified
- Maximum Door Width : 1100 mm
- Standard & Parallel Arm
- Fire Rated
- Finish : **Silver**



Size :	2	3	4
Max. Door Width	870	950	1100
Max. Opening Angle	180	180	160

+ Parallel Arm



DOOR CLOSER RESIDENTIAL

Silver **DCT234/S** 010701004

Black **DCT234/B** 010701005

Gold **DCT234/G** 010701015



Specification :

- Size : EN2, EN3, EN4 (Door Weight : 40~80 kg)
- **UL 228 , UL 10C** Certified
- Maximum Door Width : 1100 mm
- Standard Arm
- Fire Rated
- Finish : **Silver, Black and Gold**



Size :	2	3	4
Max. Door Width	870	950	1100
Max. Opening Angle	160	160	145

